



**mago**

HIGH PERFORMANCE DRIP TAPE




**Gocciolatore anti reflusso**

Anti-reflux slit emitter  
Orifce anti-reflux  
Gotero protegido

**Filtro d'ingresso**

Inlet filter  
Filtre d'entrée  
Filtro de entrada



**Labirinto ad ampia sezione**

Large section labyrinth  
Labyrinthe à section large  
Laberinto de sección amplia

**Flusso turbolento**

Turbulent flow  
Flux turbulent  
Flujo turbolento

**Filtrazione richiesta**

Required filtration  
Filtrage reccomandè  
Filtración requerida  
100 micron - 150 mesh

| I/h     | cm | I/h-m | Ø 16 mm |     | Ø 22 mm |     |
|---------|----|-------|---------|-----|---------|-----|
|         |    |       | * 90%   | 85% | * 90%   | 85% |
| NEW 0,3 | 15 | 2,0   | 250     | 310 | 445     | 550 |
|         | 20 | 1,5   | 298     | 375 | 538     | 665 |
|         | 30 | 1,0   | 400     | 490 | 700     | 860 |
| 0,6     | 10 | 6,0   | 102     | 123 | -       | -   |
|         | 15 | 4,0   | 165     | 180 | 252     | 298 |
|         | 20 | 3,0   | 210     | 260 | 380     | 475 |
|         | 30 | 2,0   | 270     | 340 | 490     | 610 |
|         | 40 | 1,5   | 320     | 400 | 600     | 700 |
| 1,0     | 10 | 10,0  | 100     | 120 | -       | -   |
|         | 15 | 6,6   | 120     | 140 | 190     | 228 |
|         | 20 | 5,0   | 150     | 185 | 285     | 330 |
|         | 30 | 3,3   | 190     | 240 | 365     | 400 |
|         | 40 | 2,5   | 225     | 280 | 450     | 550 |
| 1,5     | 10 | 15,0  | 80      | 95  | -       | -   |
|         | 15 | 10,0  | 88      | 105 | 167     | 200 |
|         | 20 | 7,5   | 110     | 140 | 210     | 250 |
|         | 30 | 5,0   | 140     | 170 | 280     | 300 |
|         | 40 | 3,8   | -       | -   | 340     | 410 |
| 2,0     | 10 | 20,0  | 60      | 70  | -       | -   |
|         | 20 | 10,0  | 85      | 105 | -       | -   |


\* E.U. – uniformità di emissione / emission uniformity / uniformité d'émission / uniformidad de emisión

• m – lunghezza d'ala / max. lateral length / longueur / longitud

Flow rate vs Pressure

|  | Pressure [bar]     | 0,3  | 0,5  | 0,7  | 1,0  |
|--|--------------------|------|------|------|------|
|  | Nominal flow [l/h] | 0,3  | 0,19 | 0,25 | 0,30 |
|  | 0,6                | 0,37 | 0,50 | 0,60 | 0,73 |
|  | 1,0                | 0,65 | 0,83 | 1,00 | 1,21 |
|  | 1,5                | 1,10 | 1,31 | 1,48 | 1,69 |
|  | 2,0                | 1,39 | 1,71 | 1,96 | 2,18 |

Flow vs Pressure chart



Scarica la scheda tecnica

Download technical sheet

Télécharger la fiche technique

Descarga la ficha técnica




# BOBINE 3000 METROS


Ø 50 cm




h 28 cm




20' container



40' high cube container




truck



| Ø  | mil | mm    | bar | bar max | m    | Kg   | coils x pallet |           | 20' container |       | 40' high cube container |       | truck   |       |
|----|-----|-------|-----|---------|------|------|----------------|-----------|---------------|-------|-------------------------|-------|---------|-------|
|    |     |       |     |         |      |      | coils          | x pallet  | pallet        | coils | pallet                  | coils | pallet  | coils |
| 16 | 5   | 0,125 | 0,6 | 0,7     | 3500 | 30,0 | 16             | - 28 - 32 | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32 | 832   |
| 16 | 6   | 0,150 | 0,7 | 0,8     | 3000 | 29,5 | 16             | - 28 - 32 | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32 | 832   |
| 16 | 7   | 0,175 | 0,7 | 0,9     | 2500 | 26,5 | 16             | - 28 - 32 | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32 | 832   |
| 16 | 8   | 0,200 | 0,7 | 1,0     | 2200 | 27,0 | 16             | - 28 - 32 | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32 | 832   |
| 16 | 10  | 0,250 | 0,7 | 1,1     | 1800 | 25,0 | 16             | - 28 - 32 | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32 | 832   |
| 16 | 12  | 0,300 | 0,7 | 1,3     | 1500 | 24,0 | 16             | - 28 - 32 | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32 | 832   |
| 16 | 15  | 0,375 | 0,7 | 1,5     | 1200 | 23,0 | 16             | - 28 - 32 | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32 | 832   |
| 22 | 6   | 0,150 | 0,6 | 0,7     | 2200 | 28,0 | 16             | - 28 - 32 | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32 | 832   |
| 22 | 7   | 0,175 | 0,7 | 0,8     | 2000 | 27,0 | 16             | - 28 - 32 | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32 | 832   |
| 22 | 8   | 0,200 | 0,7 | 0,9     | 1700 | 27,0 | 16             | - 28 - 32 | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32 | 832   |
| 22 | 10  | 0,250 | 0,7 | 1,0     | 1300 | 26,0 | 16             | - 28 - 32 | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32 | 832   |
| 22 | 12  | 0,300 | 0,7 | 1,1     | 1000 | 24,0 | 16             | - 28 - 32 | 10 x 28       | 280   | 24 x 32                 | 768   | 26 x 32 | 832   |


# CAIXA 200 METROS




20' container



40' high cube container



truck



| Ø  | mil | mm    | bar | bar max | m   | Kg  | coils x pallet |             | 20' container |       | 40' high cube container |       | truck  |       |
|----|-----|-------|-----|---------|-----|-----|----------------|-------------|---------------|-------|-------------------------|-------|--------|-------|
|    |     |       |     |         |     |     | coils          | x pallet    | pallet        | coils | pallet                  | coils | pallet | coils |
| 16 | 6   | 0,150 | 0,7 | 0,8     | 200 | 2,2 | 176            | - 10 - 1760 | 10            | 1760  | 24                      | 4224  | 26     | 4576  |
| 16 | 7   | 0,175 | 0,7 | 0,9     | 200 | 2,5 | 176            | - 10 - 1760 | 10            | 1760  | 24                      | 4224  | 26     | 4576  |
| 16 | 8   | 0,200 | 0,7 | 1,0     | 200 | 2,6 | 176            | - 10 - 1760 | 10            | 1760  | 24                      | 4224  | 26     | 4576  |



Zona Ind. Maia II, Friães, Rua António Ferreira da Silva,  
Lotes 11, 12 e 13  
Apartado 7010, 4475-463 Maia - Portugal  
Tel.: 22 982 14 84 | Fax: 22 982 14 85  
geral@novarocha.com www.novarocha.com